

PATENT SPECIFICATION

Application Date : March 5, 1929. No. 7221 / 29.

330,010

Complete Left : Dec. 4, 1929.

Complete Accepted : June 5, 1930.

PROVISIONAL SPECIFICATION.

**POOR
QUALITY**



Improvements in or relating to Means for Attaching Clips to Fountain Pen Caps and the like.

We, THOMAS DE LA RUE AND COMPANY, LIMITED, a company organised under the laws of Great Britain, of 110, Bunhill Row, London, E.C. 1, and HENRY JOHN DIXON, British subject, of 313, Norbury Avenue, London, S.W. 16, do hereby declare the nature of this invention to be as follows:—

This invention relates to improved means for attaching, to fountain pens and the like, clips adapted to grip the pocket in which the pen or the like is carried.

According to the present invention the inner end of the clip is bent at an angle, preferably at right angles, and is located in a slot formed in the cap of the fountain pen or the like and is secured by means of a pin preferably of hard material such as brass or steel fitting a hole bored through the cap and through the bent over portion of the clip.

Preferably the length of the pin is less than the depth of the hole in the cap to enable the hole to be filled with a plug of the same material as the cap.

Preferably also that end of the clip which is bent at an angle is provided at each side with an extended claw to assist in steadying the clip and hide the slot into which it is fitted.

Dated this 5th day of March, 1929.
CARPMAELS & RANSFORD,
Agents for Applicants,
24, Southampton Buildings, London,
W.C. 2.

COMPLETE SPECIFICATION.

Improvements in or relating to Means for Attaching Clips to Fountain Pen Caps and the like.

We, THOMAS DE LA RUE AND COMPANY, LIMITED, a company organised under the laws of Great Britain, of 110, Bunhill Row, London, E.C. 1, and HENRY JOHN DIXON, British subject, of 313, Norbury Avenue, London, S.W. 16, do hereby declare the nature of this invention and in what manner the same is to be performed, to be particularly described and ascertained in and by the following statement:—

This invention relates to improved means for attaching, to fountain pens and the like, clips adapted to grip the pocket in which the pen or the like is carried.

According to the present invention the inner end of the clip is bent at an angle, preferably at right angles, and is located in a slot formed in the cap of the fountain pen or the like and is secured by means of a pin preferably of hard material such as brass or steel, fitting a hole bored through the cap and through the bent over portion of the clip.

Preferably the length of the pin is less than the depth of the hole in the cap to enable the hole to be filled with a plug of the same material as the cap.

Preferably also that end of the clip which is bent at an angle is provided at each side with an extended claw to assist in steadying the clip and hide the slot into which it is fitted.

The invention is illustrated in the accompanying drawing, in which figure 1 is a longitudinal sectional elevation, figure 2 a perspective view, and figure 3 a detail section.

1 is the cap of a fountain pen or the like, and 2 is a clip one end of which is bent at 3 at an angle, preferably a right angle, the bent portion 3 being located in a slot formed in the cap 1. The clip is secured in position by a pin 4, preferably of hard material such as brass or steel, which is fitted within a hole bored in the cap and through the bent portion 3 of the clip.

The length of the pin is less than the depth of the hole in the cap, and the hole is plugged by material, indicated at 5, of the same material as that of the cap.

[Price 1/-]

The bent portion 3 of the clip is formed on each side with an extended claw 6 to assist in steadying the clip and to conceal the slot into which the clip is fitted 5 (see figure 3).

Having now particularly described and ascertained the nature of our said invention and in what manner the same is to be performed, we declare that what we 10 claim is:—

1. In a cap having a clip for fountain pens and the like, a bent portion which is located in a slot or recess formed in the cap and is secured therein by a pin which 15 is fitted in a hole bored in the cap and through the bent portion, substantially as described.

2. A clip for fountain pens and the like having a bent portion which is located 20 in a slot or recess formed in a cap and is

provided with extensions, the clip being secured in position by a pin which is fitted in a hole bored in the cap and through the bent portion, substantially as 25 described.

3. An arrangement as claimed in claim 1 or 2, in which the length of the pin is less than that of the hole, whereby the hole can be closed by a plug of the same material as that of the cap, substantially 30 as described.

4. A clip substantially as described with reference to the accompanying drawing.

Dated this 4th day of December, 1929.

CARPMAELS & RANSFORD,

Agents for Applicants,

24, Southampton Buildings, London,
W.C. 2.

[This Drawing is a full-size reproduction of the Original]

Fig. 1.




Fig. 2.




Fig. 3.

